





THE MAKING OF HAWKINS PRESSURE COOKERS

Hawkins Cookers Limited has been in business since 1959. Today, it has two offices, three factories and about 700 persons working. It is the leader in the pressure cooker market in India and has exported its products since 1974 to various countries in each of the six continents of the world.

Worldwide, Hawkins has sold over 95 million units of pressure cookers and cookware by producing products of good design, good quality and considerable consumer benefit. Hawkins pressure cookers are listed by Underwriters Laboratories Inc., USA, an independent worldwide institution testing products for public safety. CE certification also available.

Each pressure cooker made by Hawkins features an inside-fitting lid. This design is inherently safer than conventional pressure cookers. To open any Hawkins cooker, you have to first lower the lid slightly into the body of the cooker; and that cannot be done until the steam pressure inside the cooker falls to a safe level. Thus Hawkins pressure cookers are pressure-locked for safety – like a jetliner door!

The Hawkins Company is well known for not compromising on quality and for continual product innovation. The most thorough research and development, the most careful selection of materials, the best manufacturing practices and the strictest quality control – all go into making pressure cookers which are trusted by the millions of families using them.

Each cooker is tested to be leak-proof. Along with a superior pressure regulating system, this ensures that Hawkins cooks quickest.

Each pressure cooker comes individually packed in an attractive full-colour carton. Cookbooks/Instruction Manuals come free with each pressure cooker.

Additionally, the individual cartons are packed in master cartons/case packs from 2 to 12 units (depending upon the size of the product). This makes your receiving of shipments more convenient and secure.

All Hawkins pressure cookers are guaranteed for five years.

CONTENTS

Hawkins Classic Pressure Cooker	
Hawkins Contura Pressure Cooker	5
Hawkins Contura Black Pressure Cooker	7
Hawkins Contura Black XT Pressure Cooker	9
Ceramic-Coated Hawkins Contura Pressure Cooker	
Stainless Steel Hawkins Contura Pressure Cooker	13
Futura Pressure Cooker	15
Futura Stainless Steel Pressure Cooker	7
Hawkins Hevibase Pressure Cooker	19
Hawkins Stainless Steel Pressure Cooker	21
Hawkins Bigboy Pressure Cooker	. 23
Hawkins Miss Mary Pressure Cooker	25
Hawkins Two-dish Set and Three-dish Set	27
Hawkins Idli Stand and Hawkins Miniature Cooker	28
Main Parts of HPC and Repair Kit	29

Hawkins CLASSIC



CODE: CL50




HAWKINS CLASSIC PRESSURE COOKER

The Classic is Hawkins' largest-selling, most popular range of pressure cookers - perhaps because of its attractive combination of features, benefits and price. Each Hawkins Classic features an inside-fitting lid. This design is inherently safer than conventional cookers. Thus Hawkins Classic pressure cookers are pressure-locked for safety - like a jetliner door!

This range was the first to be introduced by Hawkins and has been kept fresh and current by numerous innovations and improvements over the years. The latest improvement is a superior pressure regulating system that controls pressure to a narrower, more efficient range, reduces sprouting of frothy foods (such as *dal*) and is easier to insert and remove.

The safety valve is located under the lid handle bar so that when it operates the steam is safely deflected downwards. The gasket has minimum exposure to steam inside the cooker, does not rub every time the product is opened and closed - so lasts longer.

Stay-cool handles. Fixed sturdy pivot does not put pressure on the plastic handles as it is a part of the metal handle itself. Thus handles last longer. Recommended for use on gas stoves.










HAWKINS CONTURA PRESSURE COOKER

The Contura has all the features and benefits of the Classic plus a unique body with rounded sides for easier stirring, better visibility and easy removal of food. For difficult dishes which require a lot of stirring, the Contura is the ideal cooker. Stay-cool handles. Recommended for use on gas stoves.





5 LITRE CODE: CB50



HAWKINS CONTURA BLACK PRESSURE COOKER

Hawkins CONTURA BLACK

> The Hawkins Contura Black models have all the features and benefits of the Hawkins Contura Pressure Cooker in a hard anodised body and stainless steel lid. The beautiful, durable black finish given by 60 microns thick hard anodising has two benefits. It makes the pressure cooker absorb heat faster making it more energy-efficient. And the pressure cooker stays looking new for years. Recommended for use on gas stoves.



What is Hard Anodising?

Hard Anodising was first developed by Russian scientists to produce a metal surface tough enough for space travel. The same technology is now used to make the most advanced Pressure Cooker. Through a process of electrolysis at sub-zero temperature using a high intensity electric current, a 60 micron thick layer of aluminium oxide (AI_2O_3) is formed molecule by molecule as an integral part of pure, virgin aluminium. This process is called Hard Anodising. It produces a tough surface with wonderful properties for cooking.

- Thermal-efficient: heats fast and evenly
- Not spoilt by high heat
- 2.4 times harder than steel
- Non-toxic, non-staining, non-reactive with foods
- Will not pit, tarnish or corrode
- Stays looking new for years







INDUCTION COMPATIBLE HAWKINS CONTURA BLACK XT PRESSURE COOKER

Hawkins

CONTURA BLAC

The Induction Compatible Hawkins Contura Black **XT** Pressure Cooker has all the features and benefits of the Hawkins Contura Black Pressure Cooker. Additionally, permanently attached to the **X**tra **T**hick base is a plate of AISI 430 grade magnetic stainless steel which makes the cooker Induction Compatible. The 4.88 mm **X**tra **T**hick base cooks quickly and evenly and retains heat well.

Suitable for gas, induction, electric, ceramic and halogen cooktops.



PRODUCT	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
CXT20	2	141	4.88	1875	9
CXT30	3	143	4.88	2150	8
CXT35	3.5	150	4.88	2475	6
CXT50	5	150	4.88	2900	4





3 LITRE CODE: CTR30



CERAMIC-COATED HAWKINS CONTURA PRESSURE COOKER

TOMATO RED

CONTU

awkins

The Ceramic-Coated Hawkins Contura has all the features and benefits of the Hawkins Contura Pressure Cooker and has a non-toxic ceramic coating only on the exterior of the cooker body. The Ceramic-Coated body is scratch- and stain-resistant. The mouth of the cooker body is provided with a metallic rim for additional safety. It has a black base that heats guickly. Recommended for use on gas stoves.





PRODUCT CODE	CERAMIC COLOUR	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
CMY30	MUSTARD YELLOW	3	130	3.25	2050	9
CAG30	APPLE GREEN	3	130	3.25	2050	9
CTR30	TOMATO RED	3	130	3.25	2050	9
CMY50	MUSTARD YELLOW	5	150	3.25	2795	6
CAG50	APPLE GREEN	5	150	3.25	2795	6
CTR50	TOMATO RED	5	150	3.25	2795	6



CODE: SSC30



INDUCTION COMPATIBLE STAINLESS STEEL HAWKINS CONTURA PRESSURE COOKER

The Stainless Steel Hawkins Contura has all the features and benefits of the Hawkins Contura Pressure Cooker, with a body and lid made from superior grade AISI 304 non-magnetic stainless steel. The cooker has an external base of AISI 430 grade magnetic stainless steel which makes it Induction Compatible. It has a 6.6 mm thick sandwich bottom to ensure uniform heating and no hotspots. The base always stays flat and never bulges. The cooker body has curved sides for easy stirring. It stays bright, does not pit or corrode, is extremely hygienic and stays looking new for years. Suitable for use on all domestic gas, electric, halogen, ceramic and induction cooktops.





PRODUCT	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
SSC15	1.5	125	6.6	2125	9
SSC20	2	127	6.6	2400	6
SSC30	3	131	6.6	2815	6
SSC50	5	156	6.6	3375	4

Induction Compatible base AISI 430 magnetic stainless steel Body and lid 18Cr/8Ni AISI 304 superior surgical grade non-magnetic stainless steel

Recipe for *Gajar ka Halwa* (Carrot Pudding) For 3 Litre Model: Yield 3³/₄ cups: Serves 5

carrots	6 large (2 lb 7 oz 🖊 1.1 kg) peeled and grated
milk	2 tbsp + 1 tsp / 35 ml
sugar	1 cup + 3 tbsp / 240 g
mava/khoya*	1½ cups + 1½ tbsp ⁄ 240 g crumbled
ghee	¼ cup / 50 g
almonds	12 blanched, skins removed and sliced
*	whole dried milk

Pressure Cooking Time: 0 minute

- **1.** Put carrots and milk in cooker.
- 2. Close cooker. Bring to full pressure on high heat. Remove cooker immediately from heat. Release pressure with slight lifting of vent weight. Open cooker.

3. Place open cooker with carrots and milk on high heat. Add sugar. Cook till liquid dries up (about 13 minutes), stirring occasionally. Add *mava* and ghee. Cook till ghee shows separately (about 8 minutes), stirring constantly. Serve hot, garnished with almonds.









FUTURA PRESSURE COOKER

A beautiful combination of form and function, Futura is the only pressure cooker in the world to have been displayed by The Museum of Modern Art, New York.

Futura cooks on average 46% faster than a microwave oven.

The beautiful, durable black finish given by 60 microns thick hard anodising has two benefits. It makes the pressure cooker absorb heat faster making it more energy-efficient. And the pressure cooker stays looking new for years.

The unique pressure regulating system gives you the convenience of finger-tip pressure release and prevents clogging of the steam vent. The double-thick base stays flat, heats evenly and is ideal for light frying before pressure cooking.

Suitable for gas, electric, ceramic and halogen. Induction Compatible models available in 2 Litre, 3 Litre, 4 Litre, 5 Litre and 6 Litre.









INDUCTION COMPATIBLE FUTURA PRESSURE COOKER IN STAINLESS STEEL

The beautiful form and function of the Futura Pressure Cooker – executed in stainless steel. The 7 mm thick base contains a 4.9 mm thick aluminium disc sandwiched in stainless steel for efficient heat dispersion.

Suitable for gas, electric, ceramic, halogen and induction cooktops.



PRODUCT CODE OLD/NEW	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
F41/FSS40	4	173	7.00	4600	4
F56/FSS55	5.5	173	7.00	5125	4

THE HAWKINS TEST KITCHEN

All Cookbooks and Instruction Manuals are written by the Hawkins Test Kitchen. The Test Kitchen writes instructions for the user, develops recipes and solves customer problems. Established in 1984, it has since then tested hundreds of products before launch. If a prototype has some issues the Test Kitchen sends it back to the R&D Centre for improving the design. The Test Kitchen tests products from the consumer's point of view.







5 LITRE CODE: IH50



INDUCTION COMPATIBLE HAWKINS HEVIBASE PRESSURE COOKER

A double-thick 6.35 mm base, which is hard anodised and an Induction Compatible disc attached under high pressure to ensure a base that is permanent and heats quickly and evenly. The double-thick, heavy gauge base is ideal for light frying before pressure cooking. The base stays flat, never bulges.

Suitable for gas, induction, electric, ceramic and halogen cooktops.



Abridged Recipe for Vegetable Biryani (Rice Layered with Spicy Vegetables)

For 5 Litre Model: Yield 15 cups: Serves 7

Pressure Cooking Time: 3 minutes



1. Grind ginger, garlic, chillies into a paste with water.

2. Boil 5 cups water in cooker. Add salt, spices and rice. Boil 5 minutes without vent weight. Remove cooker from heat. Transfer rice to a colander and drain.

3. Heat one-fourth cup ghee in cooker 2 minutes. Add onions, ginger paste, cut potatoes and cauliflower. Fry 3 minutes. Add cut beans, carrots and peas. Fry 2 minutes. Add red chilli, cumin and *garam masala* powders, tomatoes, coriander and mint leaves, lemon juice and salt. Fry 3 minutes. Add *paneer*. Mix gently. Add 1 cup water. Stir.

4. Remove cooker from heat. Place rice on vegetables. Dribble saffron-milk over rice. Add hot ghee and cumin seeds.

5. Close cooker. Bring to pressure and cook 3 minutes. Remove cooker from heat. Allow to cool naturally. Release pressure. Open cooker.

6. Garnish with almonds and mint leaves. Serve hot with butter or curd.








INDUCTION COMPATIBLE HAWKINS STAINLESS STEEL PRESSURE COOKER

The body and lid are 100% stainless steel. To ensure uniform heating, the bottom has a core of 4.06 mm thick aluminium sandwiched between two sheets of stainless steel. The base always stays flat, never bulges.

Stainless steel stays bright, does not pit or corrode, is easy to clean and extremely hygienic. Can be used safely for light and deep frying and pressure cooking.

Suitable for gas, induction, electric, ceramic and halogen cooktops.



Hawkins BIGBOY



Hawkins

BIGBOY

HAWKINS BIGBOY PRESSURE COOKER

The Bigboy range has been specially designed to cook large quantities of food quickly and economically. It is most useful in restaurants, hotels, canteens in factories, hospitals, schools and colleges. Also, canteens in many civil or military government establishments are using the Hawkins Bigboy.

The 18 Litre and 22 Litre Bigboy Pressure Cookers have a pair of sturdy lifting handles attached to the sides of the pressure cooker for convenience in handling the heavy weight carried by such pressure cookers. The plastic handles of all Bigboy Pressure Cookers are made from reinforced fibreglass for extra strength. Similarly, all other components of Bigboy Pressure Cookers are made for heavy duty. A chain is attached to the vent weight to prevent loss in busy kitchens.

Recommended for use on gas or kerosene stoves. They may also be used on coal burning or firewood stoves provided a suitable gap of at least 1 inch is kept between the fuel and the bottom of the cooker.



Hawkin BIGBO

IDEAL FOR 22 TO 30 PERSONS



COOK LARGE QUANTITIES OF HEALTHY, TASTY FOOD QUICKLY AND ECONOMICALLY

ITEM	QUANTITY	COOKING TIME
RICE	16 kgs/35.3 pounds	29 minutes
RED GRAM (Tur Dal)	15 kgs/33.1 pounds	29 minutes
SPICED CHICKPEAS CURRY (Channa Masala)	13 kgs/28.7 pounds	48 minutes
SPICED MUTTON CURRY (Mutton Masala)	16 kgs/35.3 pounds	39 minutes

PRODUCT CODE OLD/NEW	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
E00/BB14	14	208	4.06	3375	3
E30/BB18	18	245	4.88	5400	2
E20/BB22	22	245	4.88	5995	2





5 LITRE CODE: MM50



MISS MARY PRESSURE COOKER

Miss Mary is a well-made and reliable pressure cooker that will not leak. It will give trouble-free service and is totally safe. Miss Mary Pressure Cookers go through all the applicable rigorous checks and tests as are applied on other pressure cookers manufactured by Hawkins and are quality-certified by the Bureau of Indian Standards (popularly known as ISI). Recommended for use on gas stoves.



Hawkins TWO-DISH SET THREE-DISH SET

THREE DISH SET CODE: ADS65

TWO-DISH SET & THREE-DISH SET

Make a quick-n-easy, delicious, healthful meal using these Sets in your Hawkins pressure cooker, that can cook 2 or 3 dishes at the same time. Cook healthier, low-oil foods in pure steam. Save more time, more fuel. Plus, clean-up is much easier! These Sets have 2 or 3 hard anodised food containers for healthy and hygienic cooking, and a stand for convenient insertion and removal of the stack of containers. The versatile containers can also be used for steaming foods that are to be kept out of water, and for reheating foods conveniently.

The Two-Dish Set is suitable for use in many of our pressure cooker models between 4 and 6 Litre, and the Three-Dish Set for many of our pressure cooker models between 6.5 and 12 Litre.





Hawkin



PRODUCT	CONTAINERS	PRODUCT MRP (₹) PER UNIT	CASE PACK
ADS5	2	650	12
ADS65	3	900	12





HAWKINS IDLI STANDS

Make *idlis* easily and quickly at home, even if you've never made them before, with the Hawkins Idli Stand. Choose from 3 models for making 12 or 18 delicious, fluffy *idlis* at a time – in 6 minutes! Each Hawkins Idli Stand is securely packed in its own full-colour box, with full instructions on how to make *idli, chutney* and *sambar*.

PRODUCT CODE OLD/NEW	CAPACITY	DESIGNED FOR	PRODUCT MRP (₹) PER UNIT	CASE PACK
G05/ID12S	12 Idlis	3 Litre Tall	260	48
GI0/IDI2L	12 Idlis	5 Litre	315	36
SSID5	12 Idlis	5 Litre	500	18
G20/ID18L	18 Idlis	6.5 Litre	425	24


Hawkins MINIATURE



HAWKINS MINIATURE COOKER

A faithful, non-working miniature reproduction of the 5 Litre Hawkins Classic Pressure Cooker - the body diameter is just 5.4 cm! The Hawkins Miniature Cooker comes individually packed in a scaled-down version of the Hawkins 5 Litre unit carton. 32 individually packed units are contained in an attractive full-colour display carton for effective display.

PRODUCT CODE OLD/NEW	PRODUCT MRP (₹) PER UNIT	CASE PACK
N10/MIN	185	32





Main Parts of the Hawkins Pressure Cooker





PRODUCT CODE	PRODUCT MRP (₹) PER UNIT	CASE PACK			
KIT5L	210	10			
Suitable for the following Pressure Cookers:					
- CLASSIC (3.5, 4, 5, 6.5 Litre & 8 Litre Tall) - HEVIBASE (3.5, 5, 6.5 Litre)					
	ept Stainless Steel, 3.5,	5, 6.5 Litre			

HAWKINS GENUINE SPARE PARTS

Hawkins has developed a complete range of genuine spare parts that may be required through the life of any Hawkins model across the entire range of our pressure cookers.

Simple replacement of parts like gasket, safety valve and handles can be done by you by following instructions provided in our cookbooks or on our website. Other repairs must be done only by an Hawkins authorized service centre or representative.

Expert, lifelong free service is available from over 700 Hawkins Authorised Service Centres in India listed in the Service Centre Directory that accompanies each pressure cooker shipped in India.

Pressure Cookers exported to other countries carry details of the party to be contacted in case of any requirement of parts or service.

THE HAWKINS REPAIR KIT

Now you can do some repairs of your pressure cooker yourself and get back to cooking in just five minutes! All you need is a screwdriver – the other parts and tools are all there in the Hawkins Repair Kit. No more risk of using spurious parts, incurring repair costs or dealing with untrained, unscrupulous mechanics. This kit is ideally suited to be used abroad, or in towns where there is no Hawkins Authorised Service Centre nearby.

Hawkins GENUINE PARTS OF the Pressure Cooker

-	2	100
-		Sall
kin	S. \	
1		
-		1
sket		
	1	201
		141
	sket	S

CODE	MRP	PART NAME	APPLICABILITY	PP	
Hawkins Gasket					
A00-09	25	Mini	1.5L, XT 2L, SSC 1.5L-2L	6	
AI0-09 or BGI	30	Baby	2L, 3L Tall, 4L Tall All Contura 4L, MM 2.5L-3.5L	*	
B25-09	30	SS Baby	SS 2L, 3L Tall, SSC 3L	4	
A30-09	30	3L Wide	Classic 3L Wide	6	
B10-09	35	Standard	3.5L-8L Tall (except as above) SS 3L-7L, SSC 5L	*	
D10-09	65	Intermediate	8L Wide Body-12L BB 14L	6	
D30-09	65	SS Intermediate	SS 8L Wide Body & IOL	4	
E20-09	75	Bigboy	18L & 22L	4	

CODE	MRP	APPLICABILITY	PP		
Futura Sealing Ring					
F05-16	45	2L	4		
F40-16	45	3L	4		
F10-16	50	3.5L-7L, FSS 4L & 5.5L	6		
070-16	65	7L Jumbo & 9L	4		
		Cards as follows: for BGI:			
Code:		BG24			
	ration:	24 units			
Price: Rs.720					
Header Card for B10-09: Code: B24-09					
0	ration:	24 units			
Price:		Rs.840			

SAFETY VALVE	CODE	MRP	APPLICABILITY	PP	
	Hawkins Safety Valv				
Hawkins.	SVI	25	1.5L-14L (All Hawkins)	*	
PRESSCRECOOMEN	E20-10	25	Bigboy I 8L & 22L	8	
Pres St.	Fu	ltura	Safety Valve		
and I	F10-12	25	HA 2L-9L	6	
Safety Valve	F50-12	25	SS 4L & 5.5L	4	
"Illin's attraction	* Heade for SV		d Code: SV25 Configuration: 25 Price: Rs.625	un	
VENT TUBE / STI	EAM VE	NT			

PP CODE MRP **APPLICABILITY** Hawkins Vent Tube with Nut & Washer 410-18 1.5L-8L Tall, 2L-7L SS & SSC v. 1975 4 BI0-18 80 1.5L-8L Tall, 2L-7L SS & SSC 1995# B||-|8 75 2 75 1.5L-8L Tall, All Contura 2 HI0-18 (ex SSC) v. '05/'13 DI0-18 80 8L Wide Body-12L, Bigboy 2 14L-22L, 8L-10L SS v.'75/'95# H80-18 80 8L Wide Body-12L v. 05/13 2 Futura Steam Vent with Nut & Washer FI2-I3 115 Futura HA 2L-9L 2 F50-13 | 115 | SSF 4L & 5.5L 2



#Version: For SS, SSC & Bigboy, also for Versions 05/13 *Supplied only in Header Card *MRP = PER UNIT

VENT WEIGHT / PRESSURE REGULATOR

	CODE	MRP	PART NAME	APPLICABILITY	PP		
-	Hawkins Vent Weight/Pressure Regulat						
3	B10-20	160	Vent Weight	1.5L-12L, SS, BB version '75/'95/#	2		
ľ	H10-20	160	Pressure Regulator	1.5L-12L v.'05/'13	2		
_	Futura Pressure Regulator						
	FI0-14	250	Pressure Regulator	2L-9L	2		

PP

4

4

2

2

4

4


″O

SUBSIDIARY CODE MRP APPLICABILITY **BODY HANDLE** Hawkins Subsidiary Body Handle BI0-05 40 4L-12 L version 1975 BII-05 3.5L-12 L v.'95/ (excl. Contura) Hawkins Sub. Body Handle with Screw M44-05 50 All Contura 4L MI9-05 50 All Contura 5L & 6.5L E02-05 90 Bigboy 14L Subsidiary Body Handle P65-05 50 SS 4L-10L with screw Hawkins v.13 (use with Nut of B31-06) B39-05 65 4L-IOL with screw & nut v.95 Futura Short Body Handle with Screw SF 4L -04 70

LID HANDLE WITH RIVETS MRP APPLICABILITY PP CODE Futura Lid Handle with Screws CODE MRP APPLICABILITY PP Hawkins Lid Handle with Rivets F09-08 90 21 2 3L B21-13 35 1.5L-8L Tall 6 F49-08 105 2 D21-13 35 8L 4 F19-08 125 3.51-71. 2 SSF 4L & 5.5L Wide Body-12L Bigboy | 4L-22L 7L Jumbo-9L E30-13 90 2 079-08 135 2

[^] For Pressure Cookers manufactured in Thane: versions 95/05 will use Subsidiary Body Handle B11-05, and version 2013 will use P65-05

64 Countries in which Our 95 Million Products (Pressure Cookers & Cookware) have been sold.



- Guyana Venezuela
- Peru

- Hungary Kingdom
- Ireland Yugoslavia
- Tanzania

Iran

- Vietnam

2020 Copyright Reserved. The entire contents of this catalog including designs, photography, text and logos are the property of Hawkins Cookers Limited. All rights reserved. The products shown in this catalog are protected by patents and/or design registrations and/or other applicable laws concerning Intellectual Property Rights in India and in various other countries. Product specifications are correct as of 1st April 2020 and are subject to change without notice. Any unauthorised use or reproduction of any part or whole of this catalog for commercial or other purpose or any unauthorised use of the aforesaid trademarks is a violation of law and may invite appropriate civil action or criminal prosecution.



Hawkins, Hawkins Contura (Tomato Red, Mustard Yellow, Apple Green, Black and Black XT), Hawkins (Stainless Steel, Hevibase and Bigboy), and Futura (Hard Anodised) are Registered Trademarks Of Hawkins Cookers Limited.



www.hawkinscookers.com

Corporate Identity Number: L28997MH1959PLC011304

FOR ENQUIRIES CONTACT:

Hawkins Marketing Department New Udyog Mandir 2, Pitamber Lane Mahim, Mumbai 400 016 Maharashtra, India Tel: (22) 2444 0807; Fax: (22) 2444 9152 Email: conserve@hawkinscookers.com

- - Qatar
- - Philippines
- UAF